



Sustainable Solutions for Health, Productivity and the Environment.



CP-64

One Step Disinfectant Cleaner

EPA Reg # 10324-93-527



CP-64

Where to Use

CP-64 has been designed specifically for Institutions, schools and colleges, commercial and industrial institutions, churches, classrooms, community colleges, universities, athletic facilities and locker rooms, exercise rooms, exercise facilities, gyms, gymnasiums, field houses. and other institutions where housekeeping is of prime importance. Cleans and disinfects effectively and is virucidal (proven effective against HIV (Aids) Virus) when use as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination. Prevents odor caused by mold and mildew.

May be applied with mechanical spray device, such as electrostatic sprayer. Use according to product label instructions and sprayer manufacturer recommendations.

Benefits

- EPA Reg # 10324-93
- Concentrated.
- Hard water tolerance.
- Penetrates soil.
- Cleans, disinfects and deodorizes.
- Can be used with a mop and bucket, trigger sprayers, sponge or soaking.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected. This product is not for use on medical device surfaces.

FOR USE AS A ONE-STEP DISINFECTANT CLEANER: Pre-clean heavily soiled areas. Apply use solution of 2 oz. of this product per gal. of water to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Prepare a fresh solution daily or when visibly dirty.

NON-FOOD CONTACT SANITIZING: Pre-clean heavily soiled areas. Add 2 oz. of this product per gal. of water. Apply solution to hard, non-porous surfaces a sponge, brush, cloth, mop, {by immersion}, {auto scrubber}, {{mechanical spray device},} {{hand pump} coarse pump or trigger spray device}. For spray applications, spray 6-8 inches from surface. Do not breathe spray.} Treated surfaces must remain wet for 1 minute. Prepare a fresh solution daily or when visibly dirty.

FOR USE AS A CLEANER AND/OR DEODORIZER: Apply use solution of 2 to 4 oz. of this product per gal. of water to hard, non-porous surfaces. Wipe up excess liquid with a paper towel or allow to air dry. For heavy-duty use, apply 4 oz. of this product per gal. of water to clean hard, non-porous surfaces.

TO CONTROL MOLD/MILDEW: Controls and prevents the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces. Pre-clean heavily soiled areas. Prepare use solution by adding 2 oz. of this product per gal. of water. Apply use solution to hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANING DIRECTIONS; Remove heavy soil prior to disinfection.

From a Concentrate: Add 2 oz. of this product directly into the toilet bowl or

urinal and mix. Brush thoroughly over exposed surfaces and under the rim with a toilet brush, cloth, or sponge. Allow solution to stand for 10 minutes and flush.








From a Use Solution: Empty water out of toilet bowl or urinal and apply 0.5 to 1 oz. of use solution to exposed surfaces, including under the rim with a toilet brush, cloth, or sponge, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush.

FOR HEAVY DUTY CLEANING OF TOILET BOWLS AND URINALS:

Pre-clean heavily soiled areas. Empty toilet bowl or urinal and apply 4 oz. of this product to exposed surfaces including under the rim with toilet brush, cloth, sponge, or mechanical spray device, coarse pump or trigger spray device. To aid in soil removal, allow to soak. For sprayer application, spray 6-8 inches from surface Brush or swab thoroughly and allow solution to stand for 10 minutes and flush.

FOR USE AS A CLEANER ON FINISHED FLOORS: To limit gloss reduction, use 2 to 4 oz. of this product per gal. of water. Apply with a damp mop or auto scrubber. Allow surface to air dry.

Properties	
Color	Yellow
Fragrance	Lemon
Viscosity	Water, thin
VOC's % (EPA Method 24)	.67%
pH	11.5

Available Packages	Package Code	
4x1/2 gallon case, SNAP!	#11983225 	
4x1/2 gallon case, EZ-Mix	#11983299 	
4x1 gallon case	#11983227 	
5 gallon pail	#11983245 	
55 gallon drum	#11983257 	
275 gallon tote	#11983230 	
Spray Bottle RTU, 48/case	#35720973 	

Distributor Contact Info

For handling and precautionary information, reference the product label and safety data sheet.

For more information about
RMC call 1.800.836.1633 or go
to www.rochestermidland.com

CP-64

Efficacy Data

Bactericidal

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Households, Schools, Restaurants, Food Services): This product kills the following bacteria in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces:

Acinetobacter baumannii
Bordetella bronchiseptica
Campylobacter jejuni
Corynebacterium ammoniagenes
Enterobacter aerogenes
Enterococcus faecalis
Escherichia coli
Escherichia coli O111:H8
Escherichia coli O157:H7
Enterococcus faecium Vancomycin Resistant (VRE)
Klebsiella pneumoniae
Klebsiella pneumoniae – (NDM-1 positive), Listeria monocytogenes
Pseudomonas aeruginosa
Salmonella enterica
Salmonella schottmuelleri
Salmonella typhi
Shigella dysenteriae
Staphylococcus aureus
Staphylococcus aureus Methicillin Resistant (MRSA)
Staphylococcus aureus (CA MRSA) Community Associated Methicillin Resistant
Staphylococcus aureus (VISA) Vancomycin Intermediate Resistant
Streptococcus salivarius

Sanitizing

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 1 minute at 2 oz. per gallon of water and 5% soil on hard, non-porous surfaces:

Staphylococcus aureus
Klebsiella pneumoniae

Virucidal

This product kills the following viruses in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces:

Avian Influenza A Virus (H5N1)
Avian Influenza A H952/Turkey/Wisconsin Virus
Hepatitis B Virus (HBV)
Hepatitis C Virus (HCV)
Herpes Simplex Type1 Virus
HIV-1‡ (AIDS Virus)
Human Coronavirus, Influenza A (H1N1) Virus
Influenza A2/Japan Virus
Norovirus, Vaccinia Virus
‡ Indicates a 2 minute contact time is required for this claim.

ANIMAL PREMISE VIRUCIDAL PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per gallon of water and 5% soil on hard, non-porous surfaces:

Avian Influenza A Virus (H5N1)
Avian Influenza A H9N2/Turkey/Wisconsin Virus
Avian Reovirus
Bovine Viral Diarrhea Virus
Canine Coronavirus
Canine Distemper Virus
Equine Arteritis Virus

Infectious Avian Laryngotracheitis Virus
Infectious Bovine Rhinotracheitis Virus
Infectious Bronchitis Virus
Murine Norovirus
Newcastle Disease Virus
Porcine Respiratory & Reproductive Virus
Porcine Rotavirus, Pseudorabies Virus
Transmissible Gastroenteritis Virus

This product kills the following viruses in 10 minutes at 2.5 oz. per gallon of water and 5% soil on hard, non-porous surfaces:

Canine Adenovirus
Canine Parainfluenza Virus
Feline Calicivirus
Feline Leukemia Virus
Feline Infectious Peritonitis Virus
Feline Panleukopenia Virus
Feline Picornavirus
Feline Rhinotracheitis Virus
Infectious Canine Hepatitis Virus
Murine Parainfluenza Virus Type 1
Rabies Virus

This product kills the following viruses in 10 minutes at 8 oz. per gallon of water and 5% soil on hard, non-porous surfaces:

Canine Parvovirus
Minute Virus of Mice
Porcine Parvovirus

Fungicidal

This product kills the following fungi in 10 minutes at 2 oz. per gallon of water (700 ppm active) and on hard, non-porous surfaces:

Trichophyton mentagrophytes (a cause of Ringworm)

Mildewstatic

This product controls the following mold in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces:

Aspergillus niger